

From lab to production, providing a window into the process

Dynisco Tl422J

Adjustable Thermocouples



Description

Verification

Model TI422J is an alternative thermocouple which allows simple, rapid adjustment of the immersion length to suit each application. The thermocouple can be specified with either a bayonet cap on an 8" spring to allow for up to 7" of adjustable immersion, or a bayonet cap on the flexible armor to allow for full "B" length adjustable immersion. Dynisco's temperature thermocouples are designed and manufactured to applicable ISA standards with accuracy traceable to the National Institute of Standard Technology (NIST)


Material Analysis

Sustainability


Profitability

Features

- Spring or armor adjustable
- 0 to 900°F measurement range
- 5 foot and 10 foot lengths
- Fiberglass insulated element
- Application versatility
- Wide range of measurements
- Handles standard application requirements
- Protects the wire



Ordering Guide



All dimensions are in inches (millimeters). ©2016. Dynisco reserves the right to make changes without notice. Refer to www.dynisco.com for access to Operator Manual and other support documentation. DDS276084 DOC110813



www.dynisco.com

Dynisco

CE

38 Forge Parkway Franklin, MA 02038 USA

Fax

Hotline 1-800-Dynisco www.dynisco.com Phone +1 508 541 9400 +1 508 541 6206 Email infoinst@dynisco.com

Dynisco Europe, GmbH

Pfaffemstr. 21 Phone 74078 Hellbronn Fax Germany Email

+49 7131 297 0 +49 7131 297 166 dyniscoeurope@dynisco.com **Dynisco Shanghai** Building 7A, No. 568 Longpan Rd Malu Jiading, 201801 China

+86 21 34074072-819 Phone Toll Free +86 400 728 9117 Fax +86 21 34074025

Wiring Label/Rear Terminals

